

CERTIFICATE

No. U6 105434 0183 Rev. 00

Holder of Certificate: LEDVANCE Operation & Management
(Shenzhen) Co., Ltd.

5/F, Block 2, Liuxian Cultural Park
No. 1002 Tongle Road, Xili, Nanshan District
518055 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:




Product: Fixed general purpose luminaires
(Lowbay)

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142215020301

Date, 2021-12-29



(Taylor Yao)

CERTIFICATE

No. U6 105434 0183 Rev. 00

Model(s):

LB FLEX 1200 P 42W 840 W;
LB FLEX 1200 P 42W 840 VW;
LB FLEX 1200 P 73W 840 W;
LB FLEX 1200 P 73W 840 VW;
LB FLEX 1500 P 105W 840 N;
LB FLEX 1500 P 105W 840 W;
LB FLEX 1500 P 105W 840 VW;
LB FLEX BP 1500 P 105W 840 W;
LB FLEX 1200 DALI P 42W 840 W;
LB FLEX 1200 DALI P 42W 840 VW;
LB FLEX 1200 DALI P 73W 840 W;
LB FLEX 1200 DALI P 73W 840 VW;
LB FLEX 1500 DALI P 105W 840 N;
LB FLEX 1500 DALI P 105W 840 W;
LB FLEX 1500 DALI P 105W 840 VW;
LB FLEX BP 1500 DALI P 105W 840 W

Brand Name:

LEDVANCE

**Parameters:**

Rated Voltage: See below table for details
Rated Frequency: See below table for details
Rated Power: See below table for details
Protection Class: I
Degree of Protection: IP23
Blue Light Risk Group: RG1
ta: 50°C

**Tested
according to:**

EN 60598-2-1:1989
EN 60598-1:2015/A1:2018

**Production
Facility(ies):**

094048, 101065

CERTIFICATE

No. U6 105434 0183 Rev. 00

Model No.	Rated Voltage	Rated Frequency	Rated Power (W)
LB FLEX 1200 P 42W 840 W	220-240VAC	50/60Hz	42
LB FLEX 1200 P 42W 840 VW	220-240VAC	50/60Hz	42
LB FLEX 1200 P 73W 840 W	220-240VAC	50/60Hz	73
LB FLEX 1200 P 73W 840 VW	220-240VAC	50/60Hz	73
LB FLEX 1500 P 105W 840 N	220-240VAC	50/60Hz	105
LB FLEX 1500 P 105W 840 W	220-240VAC	50/60Hz	105
LB FLEX 1500 P 105W 840 VW	220-240VAC	50/60Hz	105
LB FLEX BP 1500 P 105W 840 W	220-240VAC	50/60Hz	105
LB FLEX 1200 DALI P 42W 840 W	220-240VAC/DC	0/50/60Hz	42
LB FLEX 1200 DALI P 42W 840 VW	220-240VAC/DC	0/50/60Hz	42
LB FLEX 1200 DALI P 73W 840 W	220-240VAC/DC	0/50/60Hz	73
LB FLEX 1200 DALI P 73W 840 VW	220-240VAC/DC	0/50/60Hz	73
LB FLEX 1500 DALI P 105W 840 N	220-240VAC/DC	0/50/60Hz	105
LB FLEX 1500 DALI P 105W 840 W	220-240VAC/DC	0/50/60Hz	105
LB FLEX 1500 DALI P 105W 840 VW	220-240VAC/DC	0/50/60Hz	105
LB FLEX BP 1500 DALI P 105W 840 W	220-240VAC/DC	0/50/60Hz	105