




SPOT COMBO FIRE PROOF FIX




SP CBO FPFIX V 6W MS827 DIM IP65 WTLEDV	EAN	W	K	lm		lm/W		(°C)	V~	mA
				4W	6W	4W	6W			
				2700	420	580	100	100		
				3000	440	610	105	105		
				4000	460	650	110	110		
				6000	460	650	110	110		










	EAN	Hz	DF	IK	PF	(°)	CRI		CCT Lightcolour
SP CBO FPFIX V 6W MS827 DIM IP65 WTLEDV	4099854459894	50/60	0.9	03	>0.7	60	80	25000	2700/3000/4000/6000



SPOT COMBO FIRE PROOF FIX



SPOT COMBO FIRE PROOF FIX




	EAN		Color		Diameter	Height
SPOT COMBO FIRE PROOF FIX VALUE 	4099854459993	SP CBO FP RING FIX ROUND BK	BLACK		86	4
	4099854460050	SP CBO FP RING FIX ROUND BN	BRUSHED NICKEL		86	4


SP CBO FPFIX V 6W



MS827 DIM IP65 WT

1



2





LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

® LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom