Attestation of Conformity

No. N8A 18 05 95688 230



Holder of Certificate: LEDVANCE GmbH

Steinerne Furt 62 86167 Augsburg **GERMANY**

Product:

Recessed luminaires

(LED luminaries)


This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.:

64140160510002



Date, 2018-06-01





After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 3

E.B.

Attestation of Conformity N8A 18 05 95688 230



Model(s):

Downlight LED LED 35W-3000K-3150Im, Downlight LED LED 35W-4000K-3325Im, Downlight LED LED 35W-6500K-3500Im,

SPOT-FP LED FIX DIM WT LED 8W-3000K-620Im. SPOT-FP LED FIX DIM WT LED 8W-4000K-670Im. SPOT-FP LED FIX DIM SI LED 8W-3000K-620Im, SPOT-FP LED FIX DIM SI LED 8W-4000K-670Im. SPOT LED FIX DIM WT LED 8W-3000K-620Im, SPOT LED FIX DIM WT LED 8W-4000K-670Im, SPOT LED FIX DIM SI LED 8W-3000K-620Im, SPOT LED FIX DIM SI LED 8W-4000K-670Im

220-240V~

Parameters:

Rated voltage: Rated frequency:

50/60Hz Protection class: Class II Rated Power: See page 3 II

Protection Class:

Degree of Protection: See page 3 Blue light risk group: RG0

Tested according to:

EN 60598-2-2:2012 EN 60598-1:2015 EN 62493:2015

Page 2 of 3



Attestation of Comformity

No. N8A 18 05 95688 230

| Model | Rated powe r(W) | Drivers | LED | ССТ | Colour | IP |
|--|-----------------|-------------------|----------------|-------|--------|---|
| Downlight LED LED 35W-3000K-3150Im | 35 | XZ-CY40B-420080-A | SMD2835 | 3000K | White | 20 |
| Downlight LED LED 35W-4000K-3325lm | 35 | XZ-CY40B-420080-A | SMD2835 | 4000K | White | 20 |
| Downlight LED LED 35W-6500K-3500lm | 35 | XZ-CY40B-420080-A | SMD2835 | 6500K | White | 20 |
| SPOT-FP LED FIX DIM WT LED 8W-3000K- 620lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | White | IP20 for recessed parts, IP44 for the exposed parts |
| SPOT-FP LED FIX DIM WT LED 8W-4000K- 670lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | White | |
| SPOT-FP LED FIX DIM SI LED 8W-3000K-620Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | Silver | |
| SPOT-FP LED FIX DIM SI LED 8W-4000K-670Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | Silver | |
| SPOT LED FIX DIM WT LED 8W-3000K-620Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | White | IP20 for recessed parts, IP65 for the exposed parts |
| SPOT LED FIX DIM WT LED 8W-4000K-670Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | White | |
| SPOT LED FIX DIM SI LED 8W-3000K-620Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | Silver | |
| SPOT LED FIX DIM SI LED 8W-4000K-670Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | Silver | |

Test report no.: 64140160510002

Date, 2018-06-01

Page 3 of 3

CERTIFICATE

No. Z1 18 05 95688 229



Holder of Certificate: LEDVANCE GmbH

Steinerne Furt 62 86167 Augsburg **GERMANY**

Certification Mark:



Recessed luminaires Product: (LED luminaries)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.


Test report no.: 64140160510002

Valid until: 2023-05-30



Date, 2018-06-01

Page 1 of 3



ZER

CERTIFICATE No. Z1 18 05 95688 229



Model(s):

Downlight LED LED 35W-3000K-3150lm, Downlight LED LED 35W-4000K-3325lm, Downlight LED LED 35W-6500K-3500lm,

SPOT-FP LED FIX DIM WT LED 8W-3000K-620Im, SPOT-FP LED FIX DIM WT LED 8W-4000K-670Im, SPOT-FP LED FIX DIM SI LED 8W-3000K-620Im, SPOT-FP LED FIX DIM SI LED 8W-4000K-670Im, SPOT LED FIX DIM WT LED 8W-3000K-620Im, SPOT LED FIX DIM WT LED 8W-4000K-670Im, SPOT LED FIX DIM SI LED 8W-3000K-620Im, SPOT LED FIX DIM SI LED 8W-4000K-670Im

Parameters:

Rated voltage:

220-240V~

Rated frequency: Protection class:

50/60Hz Class II

Rated Power: Protection Class: See page 3

Degree of Protection:

See page 3

Blue light risk group:

RG0

Tested

according to:

EN 60598-2-2:2012 EN 60598-1:2015

TÜV SÜD Product Service GmbH · Zertifizierstelle · Ridlerstraße 65 · 80339 München · Germany

EN 62493:2015

Production Facility(ies):

88622

Page 2 of 3

Product Service

CERTIFICATE

No. Z1 18 05 95688 229

| | D-4I | | | | 1 | |
|--|-----------------------|-------------------|----------------|-------|--------|---|
| Model | Rated power (W) | Drivers | LED | ССТ | Colour | IP |
| Downlight LED LED 35W-3000K-3150Im | 35 | XZ-CY40B-420080-A | SMD2835 | 3000K | White | 20 |
| Downlight LED LED 35W-4000K-3325Im | 35 | XZ-CY40B-420080-A | SMD2835 | 4000K | White | 20 |
| Downlight LED LED 35W-6500K-3500lm | 35 | XZ-CY40B-420080-A | SMD2835 | 6500K | White | 20 |
| SPOT-FP LED FIX DIM WT LED 8W-3000K- 620lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | White | IP20 for recessed parts, IP44 for the exposed parts |
| SPOT-FP LED FIX DIM WT LED 8W-4000K- 670lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | White | |
| SPOT-FP LED FIX DIM SI LED 8W-3000K-620Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | Silver | |
| SPOT-FP LED FIX DIM SI LED 8W-4000K-670Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | Silver | |
| SPOT LED FIX DIM WT LED 8W-3000K-620Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | White | IP20 for recessed parts, IP65 for the exposed parts |
| SPOT LED FIX DIM WT LED 8W-4000K-670lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | White | |
| SPOT LED FIX DIM SI LED 8W-3000K-620lm | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 3000K | Silver | |
| SPOT LED FIX DIM SI LED 8W-4000K-670Im | 8 | AD-LPA-7HK-40V170 | COB CXA1304 | 4000K | Silver | |

Test report no.: 64140160510002

Date, 2018-06-01

Page 3 of 3