CERTIFICATE No. U6 18 06 95688 262



Holder of Certificate:

LEDVANCE GmbH

Steinerne Furt 62 86167 Augsburg GERMANY

Certification Mark:



Product:

Recessed luminaires (LED Down light)

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. The certification mark must not be altered in any way. See also notes overleaf.

Test report no.:

64142180143401

Date, 2018-07-05 Page 1 of 2

Kind L (Richard Xu)

TUN NOR 770357 CERTIFICATE No. U6 18 06 95688 262



Model(s): SP VARIO DN170 35W/3000K 24DEG WT LEDV, SP VARIO DN170 35W/4000K 24DEG WT LEDV

Brand Name:

LEDVANCE

Parameters:

Rated Voltage:

Rated Power: Protection Class:

Degree of Protection: Blue light risk group: Ta: 220-240V~, 50/60Hz (for LED Driver); 35-38VDC (For LED luminaires) 35W Class II for LED Driver; Class III for Luminaire IP 20 RG1 45°C

Tested according to:

EN 60598-1:2015 EN 60598-2-2:2012

Production Facility(ies):

89967

Page 2 of 2

Attestation of Conformity

No. N8A 18 06 95688 263



Holder of Certificate: LEDVANCE GmbH

Steinerne Furt 62 86167 Augsburg GERMANY

Product:

Recessed luminaires (LED Down light)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.:

64142180143401

Date, 2018-07-05

2rdd, (Richard Xu)





After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 2

A1 / 07.17





Model(s): SP VARIO DN170 35W/3000K 24DEG WT LEDV, SP VARIO DN170 35W/4000K 24DEG WT LEDV

Brand:

LEDVANCE

Parameters:

Rated Voltage:

Rated Power: Protection Class:

Degree of Protection: Blue light risk group: Ta: 220-240V~, 50/60Hz (for LED Driver); 35-38VDC (For LED luminaires) 35W Class II for LED Driver; Class III for Luminaire IP 20 RG1 45°C

Tested according to:

EN 60598-1:2015 EN 60598-2-2:2012 EN 62493:2015

Page 2 of 2